Page: 1/9



# **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: Divergent DS-100 Primer & Moisture Mitigation System
- Other product identifiers: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture: Sealing
- 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Divergent Adhesives 715 N Murray Ave Anderson, SC 29625 Phone: (877) 458-3833

1.4 Emergency telephone number:

CHEMTREC (800) 424-9300

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to GHS regulations.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonised System (GHS).

The product is not classified as hazardous according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labelling: None.
- · Hazard statements Not Regulated
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 1

REACTIVITY Reactivity = 0

· 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)





# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 1)

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- \* Components: None in reportable quantities.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Cramp

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Foam

Fire-extinguishing powder

Carbon dioxide

Water haze or fog

For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 2)





# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 2)

· Additional information: Cool endangered receptacles with water fog or haze.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Product forms slippery surface when combined with water.

Use personal protective equipment as required.

- **6.2 Environmental precautions** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Prevent from freezing.

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs:** No further relevant information available.
- PNECs: No further relevant information available.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Cont'd. on page 4)





# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

#### Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 3)

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

#### Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

#### Protection of hands:

Not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

Rubber gloves

- Material of gloves Rubber gloves
- Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

### **Body protection:**

Not required under normal conditions of use.

Protection may be required for spills.

- Limitation and supervision of exposure into the environment: No special requirements.
- Risk management measures: No special requirements.

| SECTION 9: Physical and chemical properties |   |                  |
|---|---|------------------|
| · 9.1 Information on basic physic           | cal and chemical properties                   |                  |
| · Appearance                                |   |                  |
| Form:                                       | Liquid  |                  |
| Colour:                                     | Not determined.                               |                  |
| · Odour:                                    | Characteristic                                |                  |
| · Odour threshold:                          | Not determined.                               |                  |
| · pH-value:                                 | 2,4   |                  |
| Melting point/freezing point:               | Not determined.                               |                  |
| · Initial boiling point and boiling ran     | ge: Not determined.                           |                  |
| · Flash point:                              | 100 °C (212 °F)                               |                  |
| · Flammability (solid, gas):                | Not applicable.                               |                  |
| Auto/Self-ignition temperature:             | Not determined.                               |                  |
| Decomposition temperature:                  | Not determined.                               |                  |
| · Explosive properties:                     | Product does not present an explosion hazard. |                  |
| · Explosion limits                          |   |                  |
| Lower:                                      | Not determined.                               |                  |
| Upper:                                      | Not determined.                               |                  |
|   |   | (Cont'd. on page |

Page: 6/9



# **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 4)

· Vapour pressure: Not determined.

· Density:

**Relative density:** 1,15 g/cm³ (9,597 lbs/gal)

Vapour density: Not determined. Evaporation rate: Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

Viscosity

Dynamic: Not determined. Kinematic: Not determined.

• **9.2 Other information** No further relevant information available.

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products

Possible in traces.

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrogen chloride (HCI)

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification: None.
- Primary irritant effect
- Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.
- Serious eye damage/irritation: Slight irritant effect on eyes.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)





# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

107-13-1 acrylonitrile

R

· OSHA-Ca (Occupational Safety & Health Administration):

107-13-1 acrylonitrile

Probable routes of exposure:

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is biodegradable after prolonged adaptation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- Remark:

Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

- Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- \* PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 7)

#### Page: 8/9



# **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 6)

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packaging:
- \* Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information   |                 |  |
|---|-----------------|--|
| · 14.1 UN-Number<br>· DOT, ADR, IMDG, IATA  | Not Regulated   |  |
| · 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA                                     | Not Regulated   |  |
| 14.3 Transport hazard class(es)   |                 |  |
| · DOT, ADR, IMDG, IATA<br>· Class   | Not Regulated   |  |
| · 14.4 Packing group<br>· DOT, ADR, IMDG, IATA  | Not Regulated   |  |
| · 14.5 Environmental hazards: · Marine pollutant:   | No              |  |
| · 14.6 Special precautions for user   | Not applicable. |  |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. |                 |  |

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 8)

Page: 9/9



# **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 7)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- Chemicals known to cause cancer:

Present in trace quantities.

107-13-1 acrylonitrile

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

107-13-1 acrylonitrile

2B

- · NIOSH-Ca (National Institute for Occupational Safety and Health)
  - 107-13-1 acrylonitrile
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Cont'd. on page 9)

Page: 10



# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 26.01.2017 Revision: 26.01.2017

### Trade name: Divergent DS-100 Primer & Moisture Mitigation System

(Cont'd. from page 8)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com